


HYDRA

Algae Free/HD

Super Concentrated Wash Tank Cleaner Manual
Dosing



HYDRA®

Features & Advantages

- ◆ One shot of Hydra Algae Free per day keeps wash/rinse tanks crystal clean and slime free.
- ◆ Used in all makes of NDT processor wash tanks.
- ◆ Rapidly removes algae slime. Cleans racks, rollers and tanks.
- ◆ Stop expensive time consuming downtime and lengthy maintenance programs.
- ◆ Stop slipping and jamming of racks and rollers caused by bio-slime.
- ◆ Stop blemishes or marks caused by algae, dirt or bio-slime.
- ◆ Stop blockages or flooding caused by bio-slime build-up in overflow pipes and drains.
- ◆ Wash tank additive keeps wash tanks crystal clean 24/7.
- ◆ Packed in 6x1 litre bottle.

Description



Rapid cleaning agents removes algae slime & dirt contains water softening agents to keep wash tanks scale free.

Stops re-formation of dirt and slime.



A highly concentrated, blend of cleaning agents. Breaks down bio-film which causes clogging, slimy bio-slime.

Use daily in wash tanks or in static tanks use each time fresh solution is made up.

Stops stabilizers and static tank water from degrading. Keeps wash water or stabilizer solutions crystal clean 24/7.



Algae Free/HD is safe to be left in the processor. No need to drain before use.

Description

Algae Bio-Slime Sludge Eliminator for manual dosing to wash and stabiliser tanks. Rapidly removes algae slime. Cleans racks, rollers, tanks keeps them crystal clean.

One shot per day stops expensive time downtime and lengthy maintenance programs.



Algae bio slime sludge eliminator for NDT inspection wash tank processor stops slipping and jamming of racks and rollers caused by bio slime

N.B. To dose Algae Free automatically please see the Hydra ADE24/TX inline automatic dosing system.

How To Use

Wash / Rinse Tanks

Initial Shock Dose: 100ml treats 60 litre
Turn processor on briefly to disperse **Algae Free/HD** throughout Tanks. Leave overnight. Drop Tanks and rinse out debris thoroughly. Hose off Racks. Refill with fresh water.

Daily Use: 25ml treats 60 litre, 50ml treats 60-100 litre

Apply at end of working day. Safe to be left in tanks at all times.


Washless Stabiliser & Replenisher Systems

Initial Shock Dose: 50ml treats 25 litre
Discard old stabilizer. Refill with fresh water. Leave overnight. Rinse Tank/Racks thoroughly.

Fresh Stabilizer: 25ml treats 25 litre
Repeat each time you make up fresh stabilizer solution.

Directions: Loosen cap, gently squeeze bottle to fill chamber with required measured amount. Remove cap and pour into tank, repeat if necessary.

N.B. Always add **Algae Free HD** to clean stabilizer solutions and tanks.



Laboratory Facilities

Hydra International Ltd's Research & Development Laboratories are a hub of activity where new products are developed and formulated. We have working relationships with our raw material suppliers, many of these suppliers are major world-wide chemical manufacturers with their own development laboratories.

As a company we are well known in the chemical industry for being receptive to cutting edge new chemicals which can be incorporated into our products to achieve performance advantages. An important part of the International Standards that we hold is that of constant improvement. We show that we have achieved this at every independent audit.



Hydra International Ltd

Milton Keynes MK11 3ER, UK

01908-265889

sales@hydra-int.com

www.hydra-int.com

